

MORE FEATURES FOR WINDOWS



PLEATED BLINDS



OKNOPLAST PLEATED BLINDS.















OKNOPLAST's pleated blinds offer a seamless fusion of practicality and style, serving as an elegant sun-protecting solution. These blinds effectively block sunlight, reducing both glare and heat, while providing effortless adjustability to control the desired level of light. Whether in homes or offices, these blinds offer a convenient and aesthetically pleasing way to safeguard against the sun's rays..

- Pleated blinds featuring movable top and bottom sections can be easily adjusted using a comfortable grip for convenient operation.
- Comprised of two parts that allow for versatile positioning.
- Suitable for vertical and tilt windows.
- Min. width - 4.75", max. width - 59.00"
- An eco-friendly and cost-effective solution.
- Simple assembly process

BLIND PROFILES.

Blinds up to 47 inches wide feature a standard 0.60" profile, while sizes beyond this range are equipped with a reinforced 0.72" profile.

The profiles are available in 14 different colors, for a wide range of options to choose from.

	
White RAL 9016	Cream RAL 1014
	
Grey RAL 9006	Anthracite RAL 7016
	
Brown RAL 8028	Black RAL 9005
	
Mountain Pine	Winchester
	
Mahogany	Golden Oak
	
Walnut	Dark Oak
	
Silver anodized	Champagne anodized

AVAILABLE VERSIONS.



Comfort




Comfort Duo




Comfort Duo Integra

FABRIC COLLECTION.

Choose from over 580 color options, various structures, patterns, degrees of darkening, and traditional or honeycomb materials, ensuring a customized solution to meet your needs.



traditional fabric



honeycomb fabric



HANDLES FOR PLEATED BLINDS.

The pleated blinds are operated using handles located in both the upper and lower sections. For pleats wider than 39.4 inches, two handles are provided per section. The color scheme of the handles corresponds to that of the profile.



An optional stick is available for operating the blinds in hard-to-reach positions, such as high-positioned roof windows. The stick is exclusively offered in the color white.



INSTALLATION METHOD.

Typically, the pleated blinds are fastened to a glazing bead using screws, effectively covering the glass area while leaving the window sash and frame visible.

To accommodate various glazing beads, the standard mounting for the pleated blinds are available in four different shapes, ensuring a flexible and adjustable fit.



CONTACT DEALER:

All images of articles and color samples featured in this catalogue are rendered with utmost care; however, they are indicative only and may vary from the actual images and color.